

A002



- Vrták základní délka
- Csigafúró
- Wiertłoołgólneq stosowania
- Burghiu lung
- Спиральное сверло, короткое исполнение
- sveder spiralni



A002

Broušený povrch pod průměr 2.0mm, podbroušená povlakovaná špička TiN od prům. 2,0mm a větší / Bevonat: 2mm alatt-fényes, a hegyen-TiN; Geom: 2mm és afölött: SplitPoint / Jasny poniżej 2.0mm, z częściowym pokryciem TiN i geometrią Split Point powyżej średnicy 2.0mm / Lucios sub 2.0 mm, varf TiN si Split Point peste 2.0 mm / Шлифованные менее 2.0 мм, более 2.0 мм покрытие TiN и подточка вершины / Brez prevleke do 2mm, TiN prevlečeni od premera 2mm naprej



- 1.1 1.2 1.3 1.4 3.1 3.2 7.1 7.2 8.1 8.2
- 1.5 1.6 2.1 2.2 2.3 3.3 3.4 4.1 4.2 4.3 5.1 5.2 5.3 6.1 6.2 6.3 6.4 7.3 7.4 8.3
- 9.1

d ₁ Øh ₈ Inch	d ₁ Øh ₈ mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-Code
	1.00	0.0393	12	34	A0021.0
	1.10	0.0433	14	36	A0021.1
3/64	1.19	0.0468	16	38	A0023/64
	1.20	0.0472	16	38	A0021.2
	1.30	0.0511	16	38	A0021.3
	1.40	0.0551	18	40	A0021.4
	1.50	0.0590	18	40	A0021.5
1/16	1.59	0.0625	20	43	A0021/16
	1.60	0.0629	20	43	A0021.6
	1.70	0.0669	20	43	A0021.7
	1.80	0.0708	22	46	A0021.8
	1.90	0.0748	22	46	A0021.9
5/64	1.98	0.0779	24	49	A0025/64
	2.00	0.0787	24	49	A0022.0
	2.10	0.0826	24	49	A0022.1
	2.20	0.0866	27	53	A0022.2
	2.30	0.0905	27	53	A0022.3
3/32	2.38	0.0937	30	57	A0023/32
	2.40	0.0944	30	57	A0022.4
	2.50	0.0984	30	57	A0022.5
	2.60	0.1023	30	57	A0022.6
	2.70	0.1062	33	61	A0022.7
7/64	2.78	0.1094	33	61	A0027/64
	2.80	0.1102	33	61	A0022.8
	2.90	0.1141	33	61	A0022.9
	3.00	0.1181	33	61	A0023.0
	3.10	0.1220	36	65	A0023.1
1/8	3.18	0.1251	36	65	A0021/8
	3.20	0.1259	36	65	A0023.2
	3.25	0.1280	36	65	A0023.25
	3.30	0.1299	36	65	A0023.3
	3.40	0.1338	39	70	A0023.4
	3.50	0.1377	39	70	A0023.5
9/64	3.57	0.1405	39	70	A0029/64
	3.60	0.1417	39	70	A0023.6
	3.70	0.1456	39	70	A0023.7
	3.80	0.1496	43	75	A0023.8
	3.90	0.1535	43	75	A0023.9
5/32	3.97	0.1562	43	75	A0025/32
	4.00	0.1574	43	75	A0024.0

d ₁ Øh ₈ Inch	d ₁ Øh ₈ mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-Code
	4.10	0.1614	43	75	A0024.1
	4.20	0.1653	43	75	A0024.2
	4.30	0.1692	47	80	A0024.3
11/64	4.37	0.1725	47	80	A00211/64
	4.40	0.1732	47	80	A0024.4
	4.50	0.1771	47	80	A0024.5
	4.60	0.1811	47	80	A0024.6
	4.70	0.1850	47	80	A0024.7
3/16	4.76	0.1874	52	86	A0023/16
	4.80	0.1889	52	86	A0024.8
	4.90	0.1929	52	86	A0024.9
	5.00	0.1968	52	86	A0025.0
	5.10	0.2007	52	86	A0025.1
13/64	5.16	0.2031	52	86	A00213/64
	5.20	0.2047	52	86	A0025.2
	5.30	0.2086	52	86	A0025.3
	5.40	0.2125	57	93	A0025.4
	5.50	0.2165	57	93	A0025.5
7/32	5.56	0.2188	57	93	A0027/32
	5.60	0.2204	57	93	A0025.6
	5.70	0.2244	57	93	A0025.7
	5.80	0.2283	57	93	A0025.8
	5.90	0.2322	57	93	A0025.9
15/64	5.95	0.2342	57	93	A00215/64
	6.00	0.2362	57	93	A0026.0
	6.10	0.2401	63	101	A0026.1
	6.20	0.2440	63	101	A0026.2
	6.30	0.2480	63	101	A0026.3
1/4	6.35	0.2500	63	101	A0021/4
	6.40	0.2519	63	101	A0026.4
	6.50	0.2559	63	101	A0026.5
	6.60	0.2598	63	101	A0026.6
	6.70	0.2637	63	101	A0026.7
17/64	6.75	0.2657	69	109	A00217/64
	6.80	0.2677	69	109	A0026.8
	6.90	0.2716	69	109	A0026.9
	7.00	0.2755	69	109	A0027.0
	7.10	0.2795	69	109	A0027.1
9/32	7.14	0.2811	69	109	A0029/32
	7.20	0.2834	69	109	A0027.2

d_1 \varnothing_{h_8} Inch	d_1 \varnothing_{h_8} mm	d_1 decimal Inch	l_2 mm	l_1 mm	e-Code	d_1 \varnothing_{h_8} Inch	d_1 \varnothing_{h_8} mm	d_1 decimal Inch	l_2 mm	l_1 mm	e-Code
	7.30	0.2874	69	109	A0027.3		11.30	0.4448	94	142	A00211.3
	7.40	0.2913	69	109	A0027.4		11.40	0.4488	94	142	A00211.4
	7.50	0.2952	69	109	A0027.5		11.50	0.4527	94	142	A00211.5
19/64	7.54	0.2968	75	117	A00219/64	29/64	11.51	0.4531	94	142	A00229/64
	7.60	0.2992	75	117	A0027.6		11.60	0.4566	94	142	A00211.6
	7.70	0.3031	75	117	A0027.7		11.70	0.4606	94	142	A00211.7
	7.80	0.3070	75	117	A0027.8		11.80	0.4645	94	142	A00211.8
	7.90	0.3110	75	117	A0027.9		11.90	0.4685	101	151	A00211.9
5/16	7.94	0.3125	75	117	A0025/16	15/32	11.91	0.4688	101	151	A00215/32
	8.00	0.3149	75	117	A0028.0		12.00	0.4724	101	151	A00212.0
	8.10	0.3188	75	117	A0028.1		12.10	0.4763	101	151	A00212.1
	8.20	0.3228	75	117	A0028.2		12.20	0.4803	101	151	A00212.2
	8.30	0.3267	75	117	A0028.3		12.30	0.4842	101	151	A00212.3
21/64	8.33	0.3279	75	117	A00221/64	31/64	12.30	0.4842	101	151	A00231/64
	8.40	0.3307	75	117	A0028.4		12.40	0.4881	101	151	A00212.4
	8.50	0.3346	75	117	A0028.5		12.50	0.4920	101	151	A00212.5
	8.60	0.3385	81	125	A0028.6		12.60	0.4960	101	151	A00212.6
	8.70	0.3425	81	125	A0028.7		12.70	0.5000	101	151	A00212.7
11/32	8.73	0.3437	81	125	A00211/32	1/2	12.70	0.5000	101	151	A0021/2
	8.80	0.3464	81	125	A0028.8		12.80	0.5039	101	151	A00212.8
	8.90	0.3503	81	125	A0028.9		12.90	0.5078	101	151	A00212.9
	9.00	0.3543	81	125	A0029.0		13.00	0.5118	101	151	A00213.0
	9.10	0.3582	81	125	A0029.1	33/64	13.10	0.5157	101	151	A00233/64
23/64	9.13	0.3594	81	125	A00223/64		13.10	0.5157	101	151	A00213.1
	9.20	0.3622	81	125	A0029.2		13.20	0.5196	101	151	A00213.2
	9.30	0.3661	81	125	A0029.3		13.25	0.5216	108	160	A00213.25
	9.40	0.3700	81	125	A0029.4		13.30	0.5236	108	160	A00213.3
	9.50	0.3740	81	125	A0029.5		13.40	0.5275	108	160	A00213.4
3/8	9.53	0.3751	87	133	A0023/8	17/32	13.49	0.5295	108	160	A00217/32
	9.60	0.3779	87	133	A0029.6		13.50	0.5314	108	160	A00213.5
	9.70	0.3818	87	133	A0029.7		13.60	0.5354	108	160	A00213.6
	9.80	0.3858	87	133	A0029.8		13.70	0.5393	108	160	A00213.7
	9.90	0.3897	87	133	A0029.9		13.75	0.5413	108	160	A00213.75
25/64	9.92	0.3905	87	133	A00225/64		13.80	0.5433	108	160	A00213.8
	10.00	0.3937	87	133	A00210.0	35/64	13.89	0.5468	108	160	A00235/64
	10.10	0.3976	87	133	A00210.1		13.90	0.5472	108	160	A00213.9
	10.20	0.4015	87	133	A00210.2		14.00	0.5511	108	160	A00214.0
	10.30	0.4055	87	133	A00210.3		14.25	0.5610	114	169	A00214.25
13/32	10.32	0.4062	87	133	A00213/32	9/16	14.29	0.5625	114	169	A0029/16
	10.40	0.4094	87	133	A00210.4		14.50	0.5708	114	169	A00214.5
	10.50	0.4133	87	133	A00210.5	37/64	14.68	0.5779	114	169	A00237/64
	10.60	0.4173	87	133	A00210.6		14.75	0.5807	114	169	A00214.75
	10.70	0.4212	94	142	A00210.7		15.00	0.5905	114	169	A00215.0
27/64	10.72	0.4220	94	142	A00227/64	19/32	15.08	0.5937	120	178	A00219/32
	10.80	0.4251	94	142	A00210.8		15.25	0.6003	120	178	A00215.25
	10.90	0.4291	94	142	A00210.9	39/64	15.48	0.6094	120	178	A00239/64
	11.00	0.4330	94	142	A00211.0		15.50	0.6102	120	178	A00215.5
	11.10	0.4370	94	142	A00211.1		15.75	0.6200	120	178	A00215.75
7/16	11.11	0.4374	94	142	A0027/16	5/8	15.88	0.6251	120	178	A0025/8
	11.20	0.4409	94	142	A00211.2		16.00	0.6299	120	178	A00216.0