

A100



- Vrták základní délka
- Csigafúró
- Wiertłoogólnego stosowania
- Burghiu lung
- Спиральное сверло, короткое исполнение
- sveder spiralni



A100

Broušený povrch pod 1,0 mm, 3/64", N60 / Fényes kivitel 1,0mm alatt, 3/64", N60 / Jasny ponizej 1,0mm, 3/64", N60 / Lucios sub 1,0 mm, 3/64", N60 / Менее 1,0 мм, 3/64", N60 полированные / Svetli pod 1,0mm, 3/64", N60



- 1.1 1.2 1.3 1.4 3.1 3.2
- 1.5 1.6 2.1 2.2 2.3 3.3 3.4 4.1 4.2 4.3 5.1 5.2 5.3 6.1 6.2 6.3 6.4 7.1 7.2 7.3
- 7.4 8.1 8.2 8.3 9.1

d ₁ Øh ₈ "/Nr./letter	d ₁ Øh ₈ mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-Code
	0.20	0.0078	2.5	19	A100.2
	0.25	0.0098	3	19	A100.25
	0.30	0.0118	3	19	A100.3
	0.32	0.0125	4	19	A100.32
80	0.34	0.0133	4	19	A100N80
	0.35	0.0137	4	19	A100.35
79	0.37	0.0145	4	19	A100N79
	0.38	0.0149	4	19	A100.38
1/64	0.40	0.0157	5	20	A1001/64
	0.40	0.0157	5	20	A100.4
78	0.41	0.0161	5	20	A100N78
	0.42	0.0165	5	20	A100.42
	0.45	0.0177	5	20	A100.45
77	0.46	0.0181	5	20	A100N77
	0.48	0.0188	5	20	A100.48
	0.50	0.0196	6	22	A100.5
76	0.51	0.0200	6	22	A100N76
	0.52	0.0204	6	22	A100.52
75	0.53	0.0208	6	22	A100N75
	0.55	0.0216	7	24	A100.55
74	0.57	0.0224	7	24	A100N74
	0.58	0.0228	7	24	A100.58
	0.60	0.0236	7	24	A100.6
73	0.61	0.0240	8	26	A100N73
	0.62	0.0244	8	26	A100.62
72	0.64	0.0251	8	26	A100N72
	0.65	0.0255	8	26	A100.65
71	0.66	0.0259	8	26	A100N71
	0.68	0.0267	9	28	A100.68
	0.70	0.0275	9	28	A100.7
70	0.71	0.0279	9	28	A100N70
	0.72	0.0283	9	28	A100.72
69	0.74	0.0291	9	28	A100N69
	0.75	0.0295	9	28	A100.75
	0.78	0.0307	10	30	A100.78
1/32	0.79	0.0311	10	30	A1001/32
68	0.79	0.0311	10	30	A100N68
	0.80	0.0314	10	30	A100.8
67	0.81	0.0318	10	30	A100N67
	0.82	0.0322	10	30	A100.82
66	0.84	0.0330	10	30	A100N66
	0.85	0.0334	10	30	A100.85

d ₁ Øh ₈ "/Nr./letter	d ₁ Øh ₈ mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-Code
	0.88	0.0346	11	32	A100.88
65	0.89	0.0350	11	32	A100N65
	0.90	0.0354	11	32	A100.9
64	0.91	0.0358	11	32	A100N64
	0.92	0.0362	11	32	A100.92
63	0.94	0.0370	11	32	A100N63
	0.95	0.0374	11	32	A100.95
62	0.97	0.0381	12	34	A100N62
	0.98	0.0385	12	34	A100.98
61	0.99	0.0389	12	34	A100N61
	1.00	0.0393	12	34	A1001.0
60	1.02	0.0401	12	34	A100N60
59	1.04	0.0409	12	34	A100N59
	1.05	0.0413	12	34	A1001.05
58	1.07	0.0421	14	36	A100N58
57	1.09	0.0429	14	36	A100N57
	1.10	0.0433	14	36	A1001.1
	1.15	0.0452	14	36	A1001.15
56	1.18	0.0464	14	36	A100N56
3/64	1.19	0.0468	16	38	A1003/64
	1.20	0.0472	16	38	A1001.2
	1.25	0.0492	16	38	A1001.25
	1.30	0.0511	16	38	A1001.3
55	1.32	0.0519	16	38	A100N55
	1.35	0.0531	18	40	A1001.35
	1.40	0.0551	18	40	A1001.4
54	1.40	0.0551	18	40	A100N54
	1.45	0.0570	18	40	A1001.45
	1.50	0.0590	18	40	A1001.5
53	1.51	0.0594	20	43	A100N53
	1.55	0.0610	20	43	A1001.55
1/16	1.59	0.0625	20	43	A1001/16
	1.60	0.0629	20	43	A1001.6
52	1.61	0.0633	20	43	A100N52
	1.65	0.0649	20	43	A1001.65
	1.70	0.0669	20	43	A1001.7
51	1.70	0.0669	22	46	A100N51
	1.75	0.0688	22	46	A1001.75
50	1.78	0.0700	22	46	A100N50
	1.80	0.0708	22	46	A1001.8
	1.85	0.0728	22	46	A1001.85
49	1.85	0.0728	22	46	A100N49

d_1 $\varnothing h_8$ "/Nr./letter	d_1 $\varnothing h_8$ mm	d_1 decimal Inch	l_2 mm	l_1 mm	e-Code	d_1 $\varnothing h_8$ "/Nr./letter	d_1 $\varnothing h_8$ mm	d_1 decimal Inch	l_2 mm	l_1 mm	e-Code
48	1.90	0.0748	22	46	A1001.9	20	4.09	0.1610	43	75	A100N20
	1.93	0.0759	24	49	A100N48		4.10	0.1614	43	75	A1004.1
	1.95	0.0767	24	49	A1001.95		4.20	0.1653	43	75	A1004.2
5/64	1.98	0.0779	24	49	A1005/64	19	4.22	0.1661	43	75	A100N19
47	1.99	0.0783	24	49	A100N47		4.25	0.1673	43	75	A1004.25
	2.00	0.0787	24	49	A1002.0		4.30	0.1692	47	80	A1004.3
	2.05	0.0807	24	49	A1002.05	18	4.31	0.1696	47	80	A100N18
46	2.06	0.0811	24	49	A100N46	11/64	4.37	0.1720	47	80	A10011/64
45	2.08	0.0818	24	49	A100N45	17	4.39	0.1728	47	80	A100N17
	2.10	0.0826	24	49	A1002.1		4.40	0.1732	47	80	A1004.4
	2.15	0.0846	27	53	A1002.15		4.50	0.1771	47	80	A1004.5
44	2.18	0.0858	27	53	A100N44	16	4.50	0.1771	47	80	A100N16
	2.20	0.0866	27	53	A1002.2	15	4.57	0.1799	47	80	A100N15
	2.25	0.0885	27	53	A1002.25		4.60	0.1811	47	80	A1004.6
43	2.26	0.0889	27	53	A100N43	14	4.62	0.1818	47	80	A100N14
	2.30	0.0905	27	53	A1002.3		4.70	0.1850	47	80	A1004.7
	2.35	0.0925	27	53	A1002.35	13	4.70	0.1850	47	80	A100N13
3/32	2.38	0.0937	30	57	A1003/32		4.75	0.1870	47	80	A1004.75
42	2.38	0.0937	30	57	A100N42	3/16	4.76	0.1874	52	86	A1003/16
	2.40	0.0944	30	57	A1002.4		4.80	0.1889	52	86	A1004.8
41	2.44	0.0960	30	57	A100N41	12	4.80	0.1889	52	86	A100N12
	2.45	0.0964	30	57	A1002.45	11	4.85	0.1909	52	86	A100N11
40	2.49	0.0980	30	57	A100N40		4.90	0.1929	52	86	A1004.9
	2.50	0.0984	30	57	A1002.5	10	4.92	0.1937	52	86	A100N10
39	2.53	0.0996	30	57	A100N39	9	4.98	0.1960	52	86	A100N9
	2.55	0.1003	30	57	A1002.55		5.00	0.1968	52	86	A1005.0
38	2.58	0.1015	30	57	A100N38	8	5.06	0.1992	52	86	A100N8
	2.60	0.1023	30	57	A1002.6		5.10	0.2007	52	86	A1005.1
37	2.64	0.1039	30	57	A100N37	7	5.11	0.2011	52	86	A100N7
	2.65	0.1043	30	57	A1002.65	13/64	5.16	0.2031	52	86	A10013/64
	2.70	0.1062	33	61	A1002.7	6	5.18	0.2039	52	86	A100N6
36	2.71	0.1066	33	61	A100N36		5.20	0.2047	52	86	A1005.2
	2.75	0.1082	33	61	A1002.75	5	5.22	0.2055	52	86	A100N5
7/64	2.78	0.1094	33	61	A1007/64		5.25	0.2066	52	86	A1005.25
35	2.79	0.1098	33	61	A100N35		5.30	0.2086	52	86	A1005.3
	2.80	0.1102	33	61	A1002.8	4	5.31	0.2090	57	93	A100N4
34	2.82	0.1110	33	61	A100N34		5.40	0.2125	57	93	A1005.4
	2.85	0.1122	33	61	A1002.85	3	5.41	0.2129	57	93	A100N3
33	2.87	0.1129	33	61	A100N33		5.50	0.2165	57	93	A1005.5
	2.90	0.1141	33	61	A1002.9	7/32	5.56	0.2188	57	93	A1007/32
	2.95	0.1161	33	61	A1002.95		5.60	0.2204	57	93	A1005.6
32	2.95	0.1161	33	61	A100N32	2	5.61	0.2208	57	93	A100N2
	3.00	0.1181	33	61	A1003.0		5.70	0.2244	57	93	A1005.7
31	3.05	0.1200	36	65	A100N31		5.75	0.2263	57	93	A1005.75
	3.10	0.1220	36	65	A1003.1	1	5.79	0.2279	57	93	A100N1
	3.15	0.1240	36	65	A1003.15		5.80	0.2283	57	93	A1005.8
1/8	3.18	0.1251	36	65	A1001/8		5.90	0.2322	57	93	A1005.9
	3.20	0.1259	36	65	A1003.2	A	5.94	0.2338	57	93	A100A
	3.25	0.1279	36	65	A1003.25	15/64	5.95	0.2342	57	93	A10015/64
30	3.26	0.1283	36	65	A100N30		6.00	0.2362	57	93	A1006.0
	3.30	0.1299	36	65	A1003.3	B	6.03	0.2374	63	101	A100B
	3.40	0.1338	39	70	A1003.4		6.10	0.2401	63	101	A1006.1
29	3.45	0.1358	39	70	A100N29	C	6.15	0.2421	63	101	A100C
	3.50	0.1377	39	70	A1003.5		6.20	0.2440	63	101	A1006.2
9/64	3.57	0.1405	39	70	A1009/64		6.25	0.2460	63	101	A1006.25
28	3.57	0.1405	39	70	A100N28	D	6.25	0.2460	63	101	A100D
	3.60	0.1417	39	70	A1003.6		6.30	0.2480	63	101	A1006.3
27	3.66	0.1440	39	70	A100N27	1/4	6.35	0.2500	63	101	A1001/4
	3.70	0.1456	39	70	A1003.7	E	6.35	0.2500	63	101	A100E
26	3.73	0.1468	39	70	A100N26		6.40	0.2519	63	101	A1006.4
	3.75	0.1476	39	70	A1003.75		6.50	0.2559	63	101	A1006.5
	3.80	0.1496	43	75	A1003.8	F	6.53	0.2570	63	101	A100F
25	3.80	0.1496	43	75	A100N25		6.60	0.2598	63	101	A1006.6
24	3.86	0.1519	43	75	A100N24	G	6.63	0.2610	63	101	A100G
	3.90	0.1535	43	75	A1003.9		6.70	0.2637	63	101	A1006.7
23	3.91	0.1539	43	75	A100N23	17/64	6.75	0.2657	69	109	A10017/64
5/32	3.97	0.1562	43	75	A1005/32		6.75	0.2657	69	109	A1006.75
22	3.99	0.1570	43	75	A100N22	H	6.76	0.2661	69	109	A100H
	4.00	0.1574	43	75	A1004.0		6.80	0.2677	69	109	A1006.8
21	4.04	0.1590	43	75	A100N21		6.90	0.2716	69	109	A1006.9

A100



d ₁ Øh ₈ "/Nr./letter	d ₁ Øh ₈ mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm e-Code	d ₁ Øh ₈ "/Nr./letter	d ₁ Øh ₈ mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm e-Code
I	6.91	0.2720	69	109 A100I		10.80	0.4251	94	142 A10010.8
	7.00	0.2755	69	109 A1007.0		10.90	0.4291	94	142 A10010.9
J	7.04	0.2771	69	109 A100J		11.00	0.4330	94	142 A10011.0
	7.10	0.2795	69	109 A1007.1		11.10	0.4370	94	142 A10011.1
9/32	7.14	0.2811	69	109 A1009/32	7/16	11.11	0.4374	94	142 A1007/16
K	7.14	0.2811	69	109 A100K		11.20	0.4409	94	142 A10011.2
	7.20	0.2834	69	109 A1007.2		11.25	0.4429	94	142 A10011.25
	7.25	0.2854	69	109 A1007.25		11.30	0.4448	94	142 A10011.3
	7.30	0.2874	69	109 A1007.3		11.40	0.4488	94	142 A10011.4
L	7.37	0.2901	69	109 A100L		11.50	0.4527	94	142 A10011.5
	7.40	0.2913	69	109 A1007.4	29/64	11.51	0.4531	94	142 A10029/64
M	7.49	0.2948	69	109 A100M		11.60	0.4566	94	142 A10011.6
	7.50	0.2952	69	109 A1007.5		11.70	0.4606	94	142 A10011.7
19/64	7.54	0.2968	75	117 A10019/64		11.75	0.4625	94	142 A10011.75
	7.60	0.2992	75	117 A1007.6		11.80	0.4645	94	142 A10011.8
N	7.67	0.3019	75	117 A100N		11.90	0.4685	101	151 A10011.9
	7.70	0.3031	75	117 A1007.7	15/32	11.91	0.4688	101	151 A10015/32
	7.75	0.3051	75	117 A1007.75		12.00	0.4724	101	151 A10012.0
	7.80	0.3070	75	117 A1007.8		12.10	0.4763	101	151 A10012.1
	7.90	0.3110	75	117 A1007.9		12.20	0.4803	101	151 A10012.2
5/16	7.94	0.3125	75	117 A1005/16		12.25	0.4822	101	151 A10012.25
	8.00	0.3149	75	117 A1008.0		12.30	0.4842	101	151 A10012.3
O	8.03	0.3161	75	117 A100O	31/64	12.30	0.4842	101	151 A10031/64
	8.10	0.3188	75	117 A1008.1		12.40	0.4881	101	151 A10012.4
	8.20	0.3228	75	117 A1008.2		12.50	0.4921	101	151 A10012.5
P	8.20	0.3228	75	117 A100P		12.60	0.4960	101	151 A10012.6
	8.25	0.3248	75	117 A1008.25		12.70	0.5000	101	151 A10012.7
	8.30	0.3267	75	117 A1008.3	1/2	12.70	0.5000	101	151 A1001/2
21/64	8.33	0.3279	75	117 A10021/64		12.75	0.5019	101	151 A10012.75
	8.40	0.3307	75	117 A1008.4		12.80	0.5039	101	151 A10012.8
Q	8.43	0.3318	75	117 A100Q		12.90	0.5078	101	151 A10012.9
	8.50	0.3346	75	117 A1008.5		13.00	0.5118	101	151 A10013.0
	8.60	0.3385	81	125 A1008.6	33/64	13.10	0.5157	101	151 A10033/64
R	8.61	0.3389	81	125 A100R		13.10	0.5157	101	151 A10013.1
	8.70	0.3425	81	125 A1008.7		13.20	0.5196	101	151 A10013.2
11/32	8.73	0.3437	81	125 A10011/32		13.25	0.5216	108	160 A10013.25
	8.75	0.3444	81	125 A1008.75		13.30	0.5236	108	160 A10013.3
	8.80	0.3464	81	125 A1008.8		13.40	0.5275	108	160 A10013.4
S	8.84	0.3480	81	125 A100S	17/32	13.49	0.5311	108	160 A10017/32
	8.90	0.3503	81	125 A1008.9		13.50	0.5314	108	160 A10013.5
	9.00	0.3543	81	125 A1009.0		13.60	0.5354	108	160 A10013.6
T	9.09	0.3578	81	125 A100T		13.70	0.5393	108	160 A10013.7
	9.10	0.3582	81	125 A1009.1		13.75	0.5413	108	160 A10013.75
23/64	9.13	0.3594	81	125 A10023/64		13.80	0.5433	108	160 A10013.8
	9.20	0.3622	81	125 A1009.2	35/64	13.89	0.5468	108	160 A10035/64
	9.25	0.3641	81	125 A1009.25		13.90	0.5472	108	160 A10013.9
	9.30	0.3661	81	125 A1009.3		14.00	0.5511	108	160 A10014.0
U	9.35	0.3681	81	125 A100U		14.25	0.5610	114	169 A10014.25
	9.40	0.3700	81	125 A1009.4	9/16	14.29	0.5625	114	169 A1009/16
	9.50	0.3740	81	125 A1009.5		14.50	0.5708	114	169 A10014.5
3/8	9.53	0.3751	87	133 A1003/8	37/64	14.68	0.5779	114	169 A10037/64
V	9.58	0.3771	87	133 A100V		14.75	0.5807	114	169 A10014.75
	9.60	0.3779	87	133 A1009.6		15.00	0.5905	114	169 A10015.0
	9.70	0.3818	87	133 A1009.7	19/32	15.08	0.5937	120	178 A10019/32
	9.75	0.3838	87	133 A1009.75		15.25	0.6003	120	178 A10015.25
	9.80	0.3858	87	133 A1009.8	39/64	15.48	0.6094	120	178 A10039/64
W	9.80	0.3858	87	133 A100W		15.50	0.6102	120	178 A10015.5
	9.90	0.3897	87	133 A1009.9		15.75	0.6200	120	178 A10015.75
25/64	9.92	0.3905	87	133 A10025/64	5/8	15.88	0.6251	120	178 A1005/8
	10.00	0.3937	87	133 A10010.0		16.00	0.6299	120	178 A10016.0
X	10.08	0.3968	87	133 A100X	41/64	16.27	0.6405	125	184 A10041/64
	10.10	0.3976	87	133 A10010.1		16.50	0.6496	125	184 A10016.5
	10.20	0.4015	87	133 A10010.2	21/32	16.67	0.6562	125	184 A10021/32
	10.25	0.4035	87	133 A10010.25		17.00	0.6692	125	184 A10017.0
Y	10.26	0.4039	87	133 A100Y	43/64	17.07	0.6720	130	191 A10043/64
	10.30	0.4055	87	133 A10010.3	11/16	17.46	0.6874	130	191 A10011/16
13/32	10.32	0.4062	87	133 A10013/32		17.50	0.6889	130	191 A10017.5
	10.40	0.4094	87	133 A10010.4		18.00	0.7086	130	191 A10018.0
Z	10.49	0.4129	87	133 A100Z		18.50	0.7283	135	198 A10018.5
	10.50	0.4133	87	133 A10010.5		19.00	0.7480	135	198 A10019.0
	10.60	0.4173	87	133 A10010.6		19.50	0.7677	140	205 A10019.5
	10.70	0.4212	94	142 A10010.7		20.00	0.7874	140	205 A10020.0
27/64	10.72	0.4220	94	142 A10027/64					
	10.75	0.4232	94	142 A10010.75					

